

HPD UNIQUE IDENTIFIER: 128126708736

CLASSIFICATION: 04 22 00 Concrete Unit Masonry

PRODUCT DESCRIPTION: Angelus Block is the prominent producer of concrete masonry units (CMU), interlocking concrete pavers, permeable pavers, decorative site wall units, and segmental planter wall units in California. We are fully committed to advancing our products in support of sustainability goals, including reduced greenhouse gas emissions. By incorporating Portland-limestone cement (PLC) in place of higher-GHG ordinary Portland cement, CarbonKind by Angelus Block achieves the largest CO2 reductions for CMU in the Southern California region. CarbonKind fully meets ASTM C90 and is available in all Angelus-produced CMU without a cost premium. This HPD covers CarbonKind Medium Weight CMU in Precision, Split Face, Burnished, and Shotblast textures. Units are available in multiple widths and heights, with and without pigments.

Section 1: Summary

Nested Method / Material Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold Level, Residuals/Impurities Evaluation, and Explanation(s) provided for Residuals/Impurities? Each column contains radio button options and descriptive text.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

CONCRETE MASONRY UNIT (CMU) - MEDIUM WEIGHT [ NATURAL SAND GRAVEL VOLCANIC SCORIA (LAVA ROCK) PORTLAND LIMESTONE CEMENT [LT-P1] CAN | END | MAM LIMESTONE [BM-3dg] QUARTZ [BM-1 \*] CAN | MAM | GEN DICHROMIUM TRIOXIDE [BM-1] SKI | MAM GYPSUM [BM-3dg] MAM FERRIC OXIDE [BM-1 \*] CAN | MAM FERROSFERRIC OXIDE [BM-1 \*] CAN FERRIC OXIDE, YELLOW [LT-UNK \*] SODIUM DODECYLBENZENESULFONATE [LT-P1] MUL | MAM | SKI | EYE | AQU ]

Number of Greenscreen BM-4/BM3 contents ... 2
Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-P1, BM-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [GeologicalMaterial]

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 100 parts per million (ppm) in the finished product, along with the role and percent weight.

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED LCA: Environmental Product Declaration (EPD) by ASTM

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.
Pre-checked for LEED v4.1 Option 1.

Summary table with 3 columns: Third Party Verified?, PREPARER: Self-Prepared, SCREENING DATE: 2024-07-16; VERIFIER:, PUBLISHED DATE: 2024-07-16; VERIFICATION #:, EXPIRY DATE: 2027-07-16.



## Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: [www.hpd-collaborative.org/hpd-2-3-standard](http://www.hpd-collaborative.org/hpd-2-3-standard)

### CONCRETE MASONRY UNIT (CMU) - MEDIUM WEIGHT

#: 100.0000 - 100.0000

MATERIAL THRESHOLD: 100 ppm      RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes      MATERIAL TYPE: Geologically Derived Material

RESIDUALS AND IMPURITIES NOTES: Residuals or impurities with the potential to be present at or above the Content Inventory Threshold indicated that return a GS score of BM-1, LT-1, LT-P1 or NoGS have been disclosed, based on information provided in supplier documentation and as predicted by process chemistry (Pharos CML). As Pharos CML lists component substances of Portland cement and various geological materials as "Known or Potential Residuals", these components have been included in the relevant Substance Notes instead of as individual content entries.

OTHER MATERIAL NOTES: Percent by weight of substances reported as ranges to account for potential variations during manufacturing and formulation differences between manufacturing facilities.

### NATURAL SAND

ID: Geological Material

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

#: 43.0000 - 66.0000      GreenScreen: Not Required      RC: None      NANO: No      MATERIAL ROLE: Filler

HAZARD TYPE      AGENCY AND LIST TITLES      WARNINGS

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION AND COMPOSITION: 70-90% Silica (Quartz, Cristobalite, Tridymite), SiO<sub>2</sub> [14808-60-7]; 12-15% Aluminum Oxide [1344-28-1]; 1.5-2.5% Calcium Oxide [1305-78-8]; 0.5-2.0% Iron Oxide [1309-37-1]

COUNTRY OF ORIGIN: USA

RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.

POTENTIAL PRESENCE OF TOXIC METALS: According to supplier provided information and/or internal testing, it is determined that no toxic metals are found in this material.

MATERIAL CONTENT NOTES: Natural sand obtained from various suppliers in the Southern California region. Contact manufacturer if more information is required.

### GRAVEL

ID: Geological Material

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

#: 7.0000 - 24.0000      GreenScreen: Not Required      RC: None      NANO: No      MATERIAL ROLE: Filler

HAZARD TYPE      AGENCY AND LIST TITLES      WARNINGS

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION AND COMPOSITION: Composition varies naturally; typically contains quartz (crystalline silica) [14808-60-7]

COUNTRY OF ORIGIN: USA

RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.

POTENTIAL PRESENCE OF TOXIC METALS: According to supplier provided information and/or internal testing, it is determined that no toxic metals are found in this material.

MATERIAL CONTENT NOTES: Kinds of stone used in U.S. crushed stone production include: limestone and dolomite (71%), granite (15%), traprock (8%), with the remaining 6% being marble, calcareous marl, slate, shell, and volcanic cinder and scoria (USGS via Pharos CML). Gravel aggregate obtained from various suppliers in the Southern California region. Contact manufacturer if more information is required.

### VOLCANIC SCORIA (LAVA ROCK)

ID: **Geological Material**

HAZARD DATA SOURCE: **HPDC Special Conditions Policy**

%: **12.0000 - 18.0000**      GreenScreen: **Not Required**      RC: **None**      NANO: **No**      MATERIAL ROLE: **Filler**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
-------------	------------------------	----------

Hazard Screening is not applicable to this Special Condition

INGREDIENT DESCRIPTION AND COMPOSITION: SiO<sub>2</sub>, Silica (amorphous) [7631-86-9]

COUNTRY OF ORIGIN: USA

RADIOACTIVE ELEMENTS: According to supplier provided information and/or internal testing, it is determined that no radioactive elements are found in this material.

POTENTIAL PRESENCE OF TOXIC METALS: According to supplier provided information and/or internal testing, it is determined that no toxic metals are found in this material.

MATERIAL CONTENT NOTES: Scoria obtained from two suppliers in the Southern California region. Contact manufacturer if more information is required.

### PORTLAND LIMESTONE CEMENT

ID: **65997-15-1**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-07-16 12:42:13**

%: **6.0000 - 12.0000**      GreenScreen: **LT-P1**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification
-----	-----	--

END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
-----	---------------------------------------	-------------------------------

MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
-----	-------------	---

MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
-----	-------------	---

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found No listings found on Additional Hazard Lists

---

SUBSTANCE NOTES: Supplier mill test reports give the following chemical specification of the Portland Limestone Cement (ASTM C595 Type IL) used in this product: max 64% Calcium Oxide [1305-78-8]; max 20% Silicon Dioxide [7631-86-9]; max 6.0% Aluminum Oxide [1344-28-1]; max 1.5% Iron III Oxide [1309-37-1]; max 3.6% Sulfur Trioxide [7446-11-9]; max 2.3% Magnesium Oxide [1309-48-4]. A Type III Environmental Product Declaration (EPD) is available from each of our Portland Limestone Cement suppliers.

**LIMESTONE** ID: 1317-65-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2024-07-16 12:42:13

%: **1.0000 - 5.0000**      GreenScreen: **BM-3dg**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
-------------	----------------------	----------

None found No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found No listings found on Additional Hazard Lists

---

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-3dg was provided by the HPD Builder Tool.

**QUARTZ** ID: 14808-60-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: 2024-07-16 12:42:13

%: **0.5000 - 5.0000**      GreenScreen: **BM-1**      RC: **None**      NANO: **No**      SUBSTANCE ROLE: **Impurity/Residual**

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)**
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man**
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources**
CAN	IARC	Group 1 - Agent is Carcinogenic to humans**
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen**
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]**
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]**
CAN	GHS - New Zealand	Carcinogenicity category 1**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]**
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]**
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1**

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Potential impurity of various geological substances.

\*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

## DICHRONIUM TRIOXIDE

ID: 1308-38-9

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-07-16 12:42:14**

%: **0.0000 - 1.0000** GreenScreen: **BM-1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Pigment**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022  Children's Products

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-1 was provided by the HPD Builder Tool. Substance not used in all color formulations. Contact manufacturer if more information is required.

## GYPSUM

ID: 13397-24-5

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2024-07-16 12:42:14</b>		
%: <b>0.1000 - 1.0000</b>	GreenScreen: <b>BM-3dg</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Processing regulator</b>
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: GreenScreen Benchmark® assessment score of BM-3dg was provided by the HPD Builder Tool.

## FERRIC OXIDE

ID: 1309-37-1

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>		HAZARD SCREENING DATE: <b>2024-07-16 12:42:13</b>		
%: <b>0.0000 - 1.0000</b>	GreenScreen: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Pigment</b>

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]**

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Substance not used in all color formulations. Contact manufacturer if more information is required.

\*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

### FERROSFERRIC OXIDE

ID: 1317-61-9

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>	HAZARD SCREENING DATE: <b>2024-07-16 12:42:13</b>			
%: <b>0.0000 - 1.0000</b>	GreenScreen: <b>BM-1</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Pigment</b>

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Substance not used in all color formulations. Contact manufacturer if more information is required.

\*\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

### FERRIC OXIDE, YELLOW

ID: 51274-00-1

HAZARD DATA SOURCE: <b>Pharos Chemical and Materials Library</b>	HAZARD SCREENING DATE: <b>2024-07-16 12:42:13</b>			
%: <b>0.0000 - 1.0000</b>	GreenScreen: <b>LT-UNK</b>	RC: <b>None</b>	NANO: <b>No</b>	SUBSTANCE ROLE: <b>Pigment</b>

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists



ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: Substance not used in all color formulations. Contact manufacturer if more information is required.

**\*\*Form-Specific Hazard:** This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

**SODIUM DODECYLBENZENESULFONATE**

ID: 25155-30-0

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-07-16 12:42:14**

%: **0.0000 - 0.0200** GreenScreen: **LT-P1** RC: **None** NANO: **No** SUBSTANCE ROLE: **Plasticizer**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
SKI	GHS - New Zealand	Skin irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - New Zealand	Serious eye damage category 1
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
---------------------	----------------------	--------------

None found

No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The admixture containing this substance is not used in all plant formulations. Contact manufacturer if more information is required.

## Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### VOC EMISSIONS

### Inherently non-emitting source per LEED

CERTIFYING PARTY: Self-declared  
ISSUE DATE: 2024-07-09 00:00:00  
CERTIFIER OR LAB: None  
APPLICABLE FACILITIES: Fontana, CA 92335; Bakersfield, CA 93307; Gardena, CA 90248; Indio, CA 92202; Orange, CA 92865; Oxnard, CA 93036; Sun Valley, CA 91352  
EXPIRY DATE:  
CERTIFICATE URL:  
CERTIFICATION AND COMPLIANCE NOTES:

### LCA

### Environmental Product Declaration (EPD) by ASTM

CERTIFYING PARTY: Third Party  
ISSUE DATE: 2023-08-09 00:00:00  
CERTIFIER OR LAB: ASTM  
APPLICABLE FACILITIES: Fontana, CA 92335; Gardena, CA 90248; Indio, CA 92202; Orange, CA 92865; Oxnard, CA 93036; Sun Valley, CA 91352  
EXPIRY DATE: 2028-08-09 00:00:00  
International  
CERTIFICATE URL:  
[https://www.angelusblock.com/sustainable\\_design/epd-index.cfm](https://www.angelusblock.com/sustainable_design/epd-index.cfm)  
CERTIFICATION AND COMPLIANCE NOTES: Product-specific Type III environmental product declarations (EPD) are available by product mix and manufacturing location. Reference PCR: Part B: Concrete Masonry and Segmental Concrete Paving Product EPD Requirements, November 11 2020. V1.0. Declared Unit: One cubic meter (m3) of concrete formed into manufactured concrete products. Scope: Cradle to Gate.

## Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

### SPEC MIX® IWR PREBLENDED MORTAR

MANUFACTURER (OR GENERIC): **Package Pavement - Spec Mix**

HPD URL: [https://hpdrepository.hpd-collaborative.org/repository/HPDs/256\\_SPEC\\_MIX\\_TYPE\\_S\\_MORTAR\\_w\\_IWR.pdf](https://hpdrepository.hpd-collaborative.org/repository/HPDs/256_SPEC_MIX_TYPE_S_MORTAR_w_IWR.pdf)  
ACCESSORY TYPE: Installation Accessory  
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Use for installation of concrete masonry units where an integral water repellent is desired.

### SPEC MIX® PREBLENDED MORTAR

MANUFACTURER (OR GENERIC): **Package Pavement - Spec Mix**

HPD URL: No HPD available  
ACCESSORY TYPE: Installation Accessory  
CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Used for installation of concrete masonry units.

## Section 5: General Notes

**MANUFACTURER INFORMATION**

MANUFACTURER: **Angelus Block Co., Inc.**  
 ADDRESS: **11374 Tuxford Street**  
**Sun Valley, CA 91352**  
 COUNTRY: **USA**

WEBSITE: **www.AngelusBlock.com**  
 CONTACT NAME: **Rich D'Sa**  
 TITLE: **Technical Sales Manager**  
 PHONE: **714-637-8594**  
 EMAIL: **rdsa@angelusblock.com**

*The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.*

**KEY**

**Hazard Types**

<b>AQU</b> Aquatic toxicity	<b>LAN</b> Land toxicity	<b>PHY</b> Physical hazard (flammable or reactive)
<b>CAN</b> Cancer	<b>MAM</b> Mammalian/systemic/organ toxicity	<b>REP</b> Reproductive
<b>DEV</b> Developmental toxicity	<b>MUL</b> Multiple	<b>RES</b> Respiratory sensitization
<b>END</b> Endocrine activity	<b>NEU</b> Neurotoxicity	<b>SKI</b> Skin sensitization/irritation/corrosivity
<b>EYE</b> Eye irritation/corrosivity	<b>NF</b> Not found on Priority Hazard Lists	<b>UNK</b> Unknown
<b>GEN</b> Gene mutation	<b>OZO</b> Ozone depletion	
<b>GLO</b> Global warming	<b>PBT</b> Persistent, bioaccumulative, and toxic	

**GreenScreen (GS)**

<b>BM-4</b> Benchmark 4 (prefer-safer chemical)	<b>LT-P1</b> List Translator Possible 1 (Possible Benchmark-1)
<b>BM-3</b> Benchmark 3 (use but still opportunity for improvement)	<b>LT-1</b> List Translator 1 (Likely Benchmark-1)
<b>BM-2</b> Benchmark 2 (use but search for safer substitutes)	<b>LT-UNK</b> List Translator Benchmark Unknown
<b>BM-1</b> Benchmark 1 (avoid - chemical of high concern)	<b>NoGS</b> No GreenScreen.
<b>BM-U</b> Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, [www.greenscreenchemicals.org](http://www.greenscreenchemicals.org), and Best Practices for Hazard Screening on the HPDC website ([hpd-collaborative.org](http://hpd-collaborative.org)).

**Recycled Types**

**PreC** Pre-consumer recycled content  
**PostC** Post-consumer recycled content  
**UNK** Inclusion of recycled content is unknown  
**None** Does not include recycled content

**Other Terms:**

**GHS SDS** Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

**Inventory Methods:**

**Nested Method / Material Threshold** Substances listed within each material per threshold indicated per material  
**Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product  
**Basic Method / Product Threshold** Substances listed individually per threshold indicated per product

**Nano** Composed of nano scale particles or nanotechnology  
**Third Party Verified** Verification by independent certifier approved by HPDC  
**Preparer** Third party preparer, if not self-prepared by manufacturer  
**Applicable facilities** Manufacturing sites to which testing applies

*The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:*

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

*Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.*

*The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.*

*The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and*

